

Safety Apparel and Traffic Safety Products

ANSI/ISEA VESTS

These vests meet ANSI specifications for greater visibility. We offer Class 2 and Class 3 vests in either Fluorescent Orange or Fluorescent Lime. Available fire retardant and printed. Hook & loop or zipper front closures.



ANSI/ISEA CLASS 3

- Two vertical and one horizontal 2" wide reflective silver - both front and back
- 2" wide reflective silver on sleeves
- Two chest pockets and one outside pocket
- Hook & loop front closure
- Sizes: S/M, L/XL, 2XL/3XL, 4XL/5XL
- 36 Vests/Case

| ltem # | Description |
|------------|--------------|
| C3ANSI | Solid Orange |
| C3ANSI-GN | Solid Green |
| CM3ANSI | Orange Mesh |
| CM3ANSI-GN | Green Mesh |



ANSI/ISEA CLASS 3

- Two vertical and one horizontal 4" wide tape with 2" wide reflective silver - front, back and sleeves
- Two chest pockets with hook & loop closure for pens & tools
- Two flap pockets with hook & loop closure, 2 inside pockets
- Zipper front closure
- Sizes: M, L, XL, 2XL, 3XL, 4XL, 5XL
- 36 Vests/Case

| ltem # | Description |
|-------------|--------------|
| C3ANSSV | Solid Orange |
| C3ANSSV-GN | Solid Green |
| CM3ANSSV | Orange Mesh |
| CM3ANSSV-GN | Green Mesh |



ANSI/ISEA CLASS 2

- Two vertical and one horizontal 2" wide stripes both front and back
- Two chest pockets and one outside pocket
- Hook & loop front closure
- Available in 5 point "break-a-way"
- Sizes: S/M, L/XL, 2XL/3XL, 4XL/5XL
- 36 Vests/Case

| ltem # | Description |
|------------|--------------|
| C2ANSI | Solid Orange |
| C2ANSI-GN | Solid Green |
| CM2ANSI | Orange Mesh |
| CM2ANSI-GN | Green Mesh |



ANSI/ISEA CLASS 2

- 4" wide tape with 2" wide reflective silver
- Two individual chest pockets with hook & loop closure for pens and tools
- Two flap pockets with hook & loop closure, 2 inside front pockets
- Zipper front closure
- Sizes: M, L, XL, 2XL, 3XL, 4XL, 5XL
- 36 Vests/Case

| ltem # | Description |
|-------------|--------------|
| C2ANSSV | Solid Orange |
| C2ANSSV-GN | Solid Green |
| CM2ANSSV | Orange Mesh |
| CM2ANSSV-GN | Green Mesh |





ANSI/ISEA Public Safety Vest

- Shorter length and adjustable sides provide greater tactical capability
- 5 point "break-a-way"
- Two vertical and two horizontal 3M[™] Scotchlite[™] Reflective Material stripes both front and back
- Printing denotes law enforcement and first responder agencies
- Badge tabs, ID pockets, zipper and custom printing available
- Sizes: M/2XL (15" sides), 3XL/4XL (20" sides) and 5XL/6XL (25" sides)

| Item # Description | |
|--------------------|---------------------------------|
| PSV-PLN | Orange with Silver Stripes |
| PSV-GN-PLN | Green with Silver Stripes |
| MPSV-PLN | Orange Mesh with Silver Stripes |
| MPSV-GN-PLN | Green Mesh with Silver Stripes |

Add legend code following Item# - PSV-**POL**. (POL) Police, (SHE) Sheriff, (FIRE) Fire, (FP) Fire Police, (CRO) Crossing Guard, (SEC) Security, (EMS) EMS. For Green, please specify PSV-**GN**-. For Mesh, please specify **M**PSV-... and for size please specify MPSV-GN-POL-**M/2XL**.



ANSI/ISEA Class 2

Made of Fluorescent Orange or Lime solid or mesh ANSI material with 3M[™] Scotchlite[™] Reflective Material. Meets Class 2 specifications for visibility and can also be made as a 5 point "break-a-way" to accommodate public safety personnel. Sizes: M/2XL (15" sides), 3XL/4XL (20" sides) and 5XL/6XL (25" sides).

| ltem # | Description |
|---------|--------------------------------------|
| 2AN | Orange with Lime Yellow Stripes |
| 2AN-GN | Green with Lime Yellow Stripes |
| M2AN | Orange Mesh with Lime Yellow Stripes |
| M2AN-GN | Green Mesh with Lime Yellow Stripes |

Add legend code following Item# - 2AN-**POL**. (POL) Police, (SHE) Sheriff, (FIRE) Fire, (FP) Fire Police, (CRO) Crossing Guard, (SEC) Security, (EMS) EMS. For Green, please specify 2AN-**GN**-. For Mesh, please specify **M**2AN-... and for size please specify M2AN-GN-POL-**M/2XL**.



OUR POPULAR SAFVESTS

Available with or without 1³/₈" Fluorescent Lime Yellow Reflective Stripes. The reflective stripes are made from 3MTM ScotchliteTM Reflective Material.

| ltem # | Extra Long | Description |
|-----------------|-----------------|-------------------|
| SVC-KV | SVC-KV-XL | KV Mesh* |
| SVC-LY-KV | SVC-LY-KV-XL | KV Mesh |
| SVC-LY-KV-GN | SVC-LY-KV-GN-XL | KV Mesh - Green |
| SVC-NM | SVC-NM-XL | NM Mesh* |
| SVC-LY-NM | SVC-LY-NM-XL | NM Mesh |
| SVC-LY-99 | SVC-LY-99-XL | 99 Mesh |
| SVC-LY-SM | SVC-LY-SM-XL | Soft Mesh |
| SVC-LY-SM-GN | SVC-LY-SM-GN-XL | Soft Mesh - Green |
| *No Refelective | | |

PONCHO STYLE


| ltem # | Extra Long | Description |
|--------------|------------|-------------|
| SVSO-KV | SVSO-KV-XL | KV Mesh* |
| SVSO-NM | SVSO-NM-XL | NM Mesh* |
| *No Refelect | ive | |

Also available in Fire Retardant KV Mesh.

SOFT MESH MATERIAL SAFVEST®

The models SVSOF and SVSOF-LY are made of Fluorescent polyester material. The reflective material is made from 3M™ Scotchlite™ Reflective Material. Both vests are very popular. They are extremely comfortable while providing excellent visibility. The soft mesh not only provides T-shirt-like comfort but is also easy to fold up for storage while not in use. Both vests are economically priced and are kept in stock for immediate delivery. Available in sizes Regular, XL, 2XL, 3XL, 4XL, 5XL.

| ltem # | Description |
|---------------|---|
| SVSOF | Orange Soft Mesh - Orange |
| SVSOF-GN | Green Soft Mesh - Green |
| SVSOF-LY | Orange Soft Mesh with 3/4" Yellow Stripes |
| SVSOF-LY-GN | Green Soft Mesh with 3/4" Yellow Stripes |
| SVSOF-SI | Orange Soft Mesh with 3/4" Silver Stripes |
| SVSOF-SI-GN | Green Soft Mesh with ³ / ₄ " Silver Stripes |
| When ordering | please specify size - SVSOF- 2XL . |






Bright color and comfort provides added safety. Machine washable and dryable. Sizes: S, M, L, XL, 2XL, 3XL, 4XL, 5XL.

| ltem # | Description | |
|--------|-------------|--|
| OPS | Orange | |
| OPS-GN | Green | |

ANSI/ISEA CLASS 2 T-SHIRTS

3M[™] Scotchlite[™] Reflective Material silver stripes meet ANSI specifications. Sizes: S, M, L, XL, 2XL, 3XL, 4XL, 5XL.

| ltem # | Description |
|-----------------------------|---|
| T-ANSI-OPS T-ANSI-OPS-GN | Orange with silver stripes Green with silver stripes |
| When ordering, pleas | e specify size - OPS-P- 2XL . |



Disposable Safety Vest CSV-GN

Light weight plastic, one size fits all, tie closure, 120 vests per case.

| ltem # | Description | |
|---------|--|-----------|
| CSV | Orange | |
| CSV-GN | Green | |
| | | |
| | | |
| | | 122 |
| | Contraction of the local division of the loc | 10000 |
| 17. 200 | 120120 | all a car |
| m. | | 1 |
| | | |

Cyclists/Joggers Safvest®

Made of Fluorescent soft mesh with 3M[™] Scotchlite[™] Reflective Material Lime Yellow Reflective stripes.

| ltem # | Description | |
|----------|-------------|--|
| SVJOG | Orange | |
| SVJOG-GN | Green | |









Specialty Safvests® - Coat Style

Made of Fluorescent KV* mesh and Lime Yellow 3M[™] Scotchlite[™] Reflective Material. Plain vest measures: 24" front , 24" back, elastic sides 9" each. See available colors below.

| ltem # | Description | ltem # | Description |
|--------------|---------------------|------------|----------------|
| SVC-POL-KV | POLICE | SVC-FD-KV | FIRE DEPT |
| SVC-SHE-KV | SHERIFF | SVC-SEC-KV | SECURITY |
| SVC-FIRE-KV | FIRE | SVC-CRO-KV | CROSSING GUARD |
| SVC-FP-KV | FIRE POLICE | SVC-EMS-KV | EMS |
| SVC-PLN-KV | Plain - No Imprint | | |
| SVC-POL-KV-B | POLICE Blue Mesh LY | Reflective | |

INCIDENT COMMAND

| ltem # | Description | ltem # | Description |
|--------------|-------------------|------------|------------------|
| SVC-EMT-KV | EMT | SVC-IC-KV | INCIDENT COMMAND |
| SVC-EC-KV | EMS COMMAND | SVC-SO-KV | STAGING OFFICER |
| SVC-MED-KV | MEDICAL | SVC-STA-KV | STAGING |
| SVC-PAR-KV | PARAMEDIC | SVC-IO-KV | INFO OFFICER |
| SVC-SO-KV-FY | SAFETY OFFICER-FY | SVC-HAZ-KV | HAZ-MAT |
| SVC-TRI-KV | TRIAGE | SVC-PIO-KV | PIO |

Reflective side closures available. For available colors, see color chart at bottom of page.



Yellow Reflective Stripe Safvest®

Made of Fluorescent KV* mesh with 2" wide Lime Yellow 3M[™] Scotchlite[™] Reflective Material stripes .



Custom

Printing

| Without Hook & Loop | With Hook & Loop | Chan dand Lanan da |
|---------------------|------------------|-------------------------|
| Side Closures | Side Closures | Standard Legends |
| SVPOL | SVPOL-HL | POLICE |
| SVSHE | SVSHE-HL | SHERIFF |
| SVFP | SVFP-HL | FIRE POLICE |
| SVFD | SVFD-HL | FIRE DEPT |
| SVSEC | SVSEC-HL | SECURITY |
| SVCRO | SVCRO-HL | CROSSING GUARD |
| SVEMS | SVEMS-HL | EMS |
| SVPLN | SVPLN-HL | Plain - No Imprint |
| SVPOL-B | SVPOL-B-HL | POLICE (Blue/LY Stripe) |
| SVEMT | SVEMT-HL | EMT |
| SVTRI | SVTRI-HL | TRIAGE OFFICER |
| SVIC | SVIC-HL | INCIDENT COMMAND |
| SVCOM | SVCOM-HL | COMMUNICATIONS OFFICER |
| SVTO | SVTO-HL | TRANSPORT OFFICER |
| SVSAFO | SVSAFO-HL | SAFETY OFFICER |

Add color code following Item# - SVPOL-FY.



Hard Hats

High density polyethylene, low profile for maximum protection and lightweight comfort. 4-point woven nylon webbing suspension with cushioned brow pad quickly absorbs perspiration. Rain trough channels away rain, snow and dirt. Exceeds OSHA, ANSI regulations and SEI certified. Universal accessory slots. Additional colors (30 min.), imprints available.

| Item # | Description |
|--------|--------------------|
| HH-Y | Yellow |
| HH-O | Orange |
| HH-W | White |
| HH-Y-R | Yellow with Rachet |
| HH-O-R | Orange with Rachet |



cap with solid front and mesh back. Green cap solid front and back. Adjustable strap allows one size to fit all.

| High Visibility Knitted Cap | |
|--------------------------------|--|
| | |

| ltem # | Description | ltem # | Description |
|--------|--------------------|--------|--------------------|
| SC-0 | Flourescent Orange | SH-O | Fluorescent Orange |
| SC-G | Flourescent Green | SH-GN | Fluorescent Green |



Fluorescent Gloves

4202D Knit cotton/polyester gloves with black PVC dots on both sides.

4206 Knit glove with coated palm. High visibility cotton/ polyester with knit liner and coated black latex palm.

4208 High visibility fluorescent orange glove with 3M[™] Scotchlite™ Reflective Material and premium split cowhide with rubberized safety cuff. Provides excellent visibility in low light conditions.

| ltem # | Description |
|----------|---------------------------------------|
| 4202D | Fluorescent Orange Knit - Dots |
| 4202D/GN | Fluorescent Green Knit - Dots |
| 4206 | Fluorescent Orange Knit - Coated Palm |
| 4206/GN | Fluorescent Green Knit - Coated Palm |
| 4208 | Fluorescent Orange Split Cowhide |



CLASS 2

ANSI/ISEA Reversible Bomber

Heavy duty zipper front closure

Rib knit waist band and cuffs

• 2 side pockets inside and out

• 2"wide reflective silver stripes

CLASS 2

Description

Green/Orange

Orange/Black

2 zipper chest pockets

Size: S-5XL

J2ANSI-REV-O

J3ANSI-REV-G CLASS 3

ANSI/ISEA Class 3

• Water repellant

2 side slash pockets

Light Weight Jacket

• Lining: Mercerized velvet

1 chest cell phone pocket

Rib knit waist band & cuffs

• Size: S-5XL, packed 12 pcs/case

Heavy duty zipper front closure

100% Polyester oxford with PU coating

Item #



Surveyor's Vest

- Choose either Fluorescent Green with White-on-Orange stripes or Fluorescent Orange with White-on-Yellow stripes, both front and back
- Individual pockets for pens and tools
- Two flap pockets with hook & loop ٠ closure, 2 inside front pockets
- Mesh vests are mesh upper body and solid lower body
- Zipper front closure
- Sizes: M, L, XL, 2XL, 3XL, 4XL, 5XL
- 36 Vests/Case

| ltem # | Description |
|---------|-------------|
| SSV | Orange |
| SSV-GN | Green |
| MSSV | Orange Mesh |
| MSSV-GN | Green Mesh |



Class E Pants

- ANSI/ISEA Class E Pants
- 100% Polyester open weave mesh
- Elastic and draw cord with lock for waist adjustment
- Elastic leg bands on ankles for safety & comfort
- Two pass-through slits for front pockets
- Size: Reg, Long & X-Long, 12 pieces/case

| ltem # | Description |
|-----------|--------------------------------------|
| E3PANT | Orange w/Green and Reflective Stripe |
| E3PANT-GN | Green w/Orange and Reflective Stripe |



ANSI/ISEA Class 3 Parka

- Heavy duty zipper front with snap storm flap
- · Attached hood that rolls into collar
- Two flap pockets with hook & loop
- closure Adjustable hook & loop cuffs
- 2"wide reflective silver stripes
- Size: S-5XL

lte

J3A

| m # | Description |
|-----------|---------------------------------|
| NSI-PARKA | Green/Black with silver stripes |



Sweatshirt

- ANSI/ISEA Class 3 Two Tone High Visibility Sweatshirt
- Heavy weight 10 oz. fleece polyester
- Heavy duty zipper front closure
- 2" wide reflective silver stripes
- Two hand-warmer pockets
- Attached hood with drawstring & stoppers
- Rib knit waistband & cuffs, 12 pcs/case

| ltem # | Description | ltem # | Description |
|-----------|--|-------------|--|
| S3ANSI-GN | Green with black trim & silver stripes | J3ANSI-WIND | Green with black trim & silver stripes |

Class E Performance, Leg Gaiters

Performance Class E, Fluorescent Lime Green leggings with 2" Silver 3M[™] Scotchlite[™] Reflective Material.

• Sold as a pair.

| ltem # | Description |
|-----------|------------------------|
| LG-GN/S12 | Lime Green Leg Gaiters |



Safety Flag Co. of America A Division of Voque Industries



Safety Flags





SFP18-30 With plastic diagonal support mounted on ¾" x 30" wood staff

Vinyl Safety Flags

SAFLAGS® are excellent quality vinyl laminated nylon.

SF18

| Available vinyl colors: When ordering please add | | | | | |
|---|---------|----|----------|---------|------------|
| color code following Item #. | GN | TR | WH | YE | В |
| Description | 13" | | 16" | 18" | 24" |
| Vinyl flag | SF13 | | SF16 | SF18 | SF24 |
| Vinyl flag mounted on a ¾" wood staff | SF13-24 | | SF16-24 | SF18-30 | SF24-36 |
| With plastic diagonal | SFP13 | | SFP16 | SFP18 | SFP24 |
| With plastic diagonal mounted on a ¾" wood staff | SFP13-2 | 4 | SFP16-24 | SFP18-3 | 0 SFP24-36 |



Specialty SAFLAGS®

SAFLAGS[®] are excellent quality vinyl laminated nylon.

| Description | 13" | 16" | 18" | 24" |
|-----------------------------|-------|-------|--------|--------|
| With wire spreader | — | — | SFH18 | — |
| With dowel and 3 grommets | | | SFD18 | SFD24 |
| With hor. stay and grommet | SFT13 | SFT16 | SFT18 | — |
| With Lime Yellow Reflective | — | — | SF18RX | SF24RX |

SF18RX 18" SAFLAG has 3/4" stripes, SF24RX 24" has 13/8" stripes.



| Cloth | Flags |
|--------|--------|
| ltem # | Descri |

| ltem # | Description |
|--------|-----------------------------------|
| CF18 | 18" Cloth Flag |
| CFH18 | 18" Cloth Flag with wire spreader |
| | |

CF18






taff SFKVD18 Dowel with 3 grommets

Mesh Safety Flags

These Mesh Flags are made of fluorescent vinyl mesh material. Recommended to be used on fast moving vehicles. These flags will overcome the objections from "whipping", such as cracking, peeling, or fraying.



OUR STRONGEST HEAVY DUTY MESH

| Description | 18" | 24" |
|---|-----------|-----------|
| Mesh flag | SFKV18 | SFKV24 |
| Mesh flag mounted on a ³ / ₄ " wood staff | SFKV18-30 | SFKV24-36 |
| Mesh flag with 3 grommets no dowel | SFKV3G18 | — |
| Mesh flag with interior dowel and 3 grommets | SFKVD18 | SFKVD24 |
| Mesh flag with wire spreader | SFKVH18 | — |
| Add color code following Item# SFKV18-30 TR . | | |

MEDIUM WEIGHT MESH

| Description | 18" | 24" |
|--------------------------------------|-----------|-----------|
| Mesh flag | GFNM18 | GFNM24 |
| Mesh flag mounted on a ¾" wood staff | GFNM18-30 | GFNM24-36 |

24", 30", 36" Wood

First Quality Wood Dowels

³/₄" Diameter Wood Staffs – Please add desired staff number to model number of our mesh, vinyl & cloth flags (e.g. SF18-30).

| ltem # | Description |
|--------|-----------------------|
| 24 | 3/4" x 24" long staff |
| 30 | 3/4" x 30" long staff |
| 36 | 3/4" x 36" long staff |



Safety Flags



Marking Flags

Available in two sizes: Small $2\frac{1}{2}$ " x $3\frac{1}{2}$ " or Large 4" x 5". Colors: Red, White, Yellow, Orange, Blue, Green. Printing available on 4" x 5" only. Wire staff sizes: 15", 21", 30", & 36".

| Non-Printed | Printed | Flag Size | Staff Length |
|-------------------|---------|-----------|--------------|
| Flag with Wire S | itaff | | |
| MFS-15 | | 2½" x 3½" | 15" |
| MFS-21 | | 2½" x 3½" | 21" |
| MFS-30 | | 2½" x 3½" | 30" |
| MFS-36 | | 2½" x 3½" | 36" |
| MFL-21 | MFL-21 | 4" x 5" | 21" |
| MFL-30 | MFL-30 | 4" x 5" | 30" |
| MFL-36 | MFL-36 | 4" x 5" | 36" |
| Flag with Plastic | Staff | | |
| MFL-18P | MFL-18P | 4" x 5" | 18" |
| MFL-24P | MFL-24P | 4" x 5" | 24" |

Please add color code when ordering: MFS-15-R.

(R) Red, (W) White, (Y) Yellow, (O) Orange, (B) Blue, (G) Green



Banners

Required by many states when transporting wide loads such as construction equipment, boats, modular homes, etc.

| ltem # | Description |
|-----------------|--|
| 8701 | Vinyl Wide Load 18" x 96" |
| 8771 | Vinyl Wide Load 18" x 84" |
| 8702 | Vinyl Oversize Load 18" x 96" |
| 8772 | Vinyl Oversize Load 18" x 84" |
| 8704 | Vinyl Reversible: Wide Load/Oversize Load 18" x 96" |
| 8755 | Vinyl Oversize Load 12" x 60" for escort vehicles |
| Mesh | |
| 8771M | Wide Load 18" x 84" Mesh |
| 8772M | Oversize Load 18" x 84" Mesh |
| Reflective - 3M | [™] Scotchlite [™] Reflective Material |
| 8771R | Wide Load 18" x 84" |
| 8772R | Oversize Load 18" x 84" |



Item #


APF60

APF72

APF2G

APF

Heavy duty nylon flag. Available mounted on 60" or 72" dowel. Also available with or without corner grommets.





Bicycle, Snow & Tractor Flags

Bicycle Flag: 9" x 11" on a ¼" x 6' fiberglass pole with mounting bracket.

Tractor Flag: $16" \times 16"$ on a $\frac{5}{16}" \times 6'$ fiberglass pole with spring steel mounting bracket.

Double Pennant: Two triangular flags on a 6' fiberglass pole.

Snow Flag: 9" x 11" vinyl pennant mounted on a 1/4" x 6' fiberglass pole.

| ltem # | Description |
|--------|----------------|
| BF-6 | Bicycle Flag |
| DP-6 | Double Pennant |
| TR-6 | Tractor Flag |
| SF-6 | Snow Flag |

Additional colors available for above flags: Pink, Red, Blue, White, Yellow and Green. Also available with 8' poles. Custom printing available (Minimum quantity 100).



Runway Closure Marker

- Durable "yellow", UV treated 1000 denier, vinyl laminated nylon
- Plastic grommets every 3' for stakes or to attach sandbags
- Each piece is either 10' X 60' or 5' x 30' (2 pieces included to form "X")

| ltem # | Description |
|-----------------|---|
| Y10X60 Y5X30 | 2-pc. 10' x 60' Runway Closure Marker 2-pc. 5' x 30' Taxi Closure Marker |
| 12720 | Z-pc. 5 X 50 Taxi Closure Marker |



Windsocks



Windsocks – Vinyl

Our highly visible and durable windsocks are made of Fluorescent vinyl coated fabric. Hardware available for WS10, WS18 and WS24. Tie wraps are included with each order.

| ltem # | Throat | Length | |
|---------|--------|--------|--|
| WS10 | 10" | 36" | |
| WS18 | 18" | 96" | |
| WS18/48 | 18" | 48" | |
| WS18/60 | 18" | 60 " | |
| WS24 | 24" | 96" | |
| WS36 | 36" | 146" | |



Variegated Windsocks - Nylon

Often referred to as a "Canadian Windsock," the orangewhite-orange design makes it a snap to see your windsock whether it's a sunny day or a gray sky. **We also offer this design in red-white-red.** Ask us to do a Special Order with colors you desire!!

| ltem # | Throat | Length | |
|---------|--------|--------|--|
| OWO1036 | 10" | 36" | |
| OW01356 | 13" | 56" | |
| OW01848 | 18" | 48" | |
| OWO1860 | 18" | 60" | |
| OW01872 | 18" | 72" | |
| OW01896 | 18" | 96" | |
| OW02496 | 24" | 96" | |
| OW03612 | 36" | 12' | |



Windsocks - Nylon

Lightweight, responsive to the slightest wind, resists mildew, will not crack or peel. Long-lasting 6.2 oz. colorfast nylon (will not fade as fast as polycoated vinyl), weather resistant nylon thread, 400 lb. tensile strength webbing, high quality brass grommets, water repellant, meets or exceeds AC 150/5345-27D. Tie wraps are included with each order.

| ltem # | Throat | Length | |
|---------|--------|--------|--|
| ASX0624 | 6" | 24" | |
| ASX0840 | 8" | 40" | |
| ASX0840 | 9" | 30" | |
| ASX1036 | 10" | 36" | |
| ASX1248 | 12" | 48" | |
| ASX1356 | 13" | 56" | |
| ASX1848 | 18" | 48" | |
| ASX1860 | 18" | 60" | |
| ASX1872 | 18" | 72" | |
| ASX1896 | 18" | 96" | |
| ASX2096 | 20" | 96" | |
| ASX2496 | 24" | 96" | |
| ASX3612 | 36" | 12' | |

Orange Reflective Windsocks – Nylon



Our Orange Reflective Windsock has two strips of reflective material added to the windsock for added visibility at night. One strip is at the throat with the other strip at the apex.

| ltem # | Throat | Length |
|-----------|--------|--------|
| WSX1036RX | 10" | 36" |
| WSX1848RX | 18" | 48" |



Windsocks with Reflective Material - Nylon

- Highly visible and durable windsocks are made of Fluorescent vinyl laminated fabric
- Windsock has four 2" silver stripes made of 3M[™] Scotchlite[™] Reflective Material

| ltem # | Throat | Length | |
|-------------|--------|--------|--|
| ASX1036RFL | 10" | 36" | |
| ASX1356RFL | 13" | 56" | |
| ASX1848RFL | 18" | 48" | |
| ASX1860RFL | 18" | 60 " | |
| ASX1872RFL | 18" | 72 " | |
| ASX1896RFL | 18" | 96 " | |
| ASX36144RFL | 36" | 144" | |



Windsocks



Windsock Hardware

Frames are constructed of heavy duty wire with sleeve and set collars. Zinc coated for weather protection. Rotate freely with no maintenance required. <u>Mounting Instructions:</u> Place pipe collar or flange

<u>Mounting instructions:</u> Place pipe collar or flange on 1" O.D. schedule 40 pipe and slide metal brackets of windsock frame over the pipe. Place

the second collar or flange above frame. Pull windsock over the frame and align holes in windsock. Insert plastic ties or cord (cords available) through the holes of the frame from <u>inside</u> of frame and then through holes in windsock. Ties are not included.

| ltem # | Description |
|--------|-----------------------|
| WS10HW | 10" Windsock Hardware |
| WS18HW | 18" Windsock Hardware |

Machined Bearing Frame

These frames are one of our most popular among aviation enthusiasts as well as general aviation professionals. Manufactured from ¼" cold rolled steel and designed for many years of service. The frames are zinc plated for a long-lasting, chrome-like finish. A machined bearing is added that allows the windsock to respond to the slightest wind. All you need for installation is a ¾" collar looking up from

your mast. We have four sizes to choose from -6", 10", and 13" diameters.

| ltem # | Description |
|--------|----------------------------|
| BFX6 | 6" Machined Bearing Frame |
| BFX10 | 10" Machined Bearing Frame |
| BFX13 | 13" Machined Bearing Frame |




Double Ball Bearing Frame

This frame design is truly a mainstay for general aviation. The strong, sturdy, double ball-bearing and ¼" cold rolled steel design will offer you many years of exceptional service. Having a 1" collar or female thread looking up allows you to simply screw the extension rod into the awaiting threads for easy installation. We offer this frame in 18", 24", and 36" diameters. Our BB Series frames have just gone through a re-design! We recently made the ring attachment arms

one piece, both top and bottom. This allows us to make a very strong weld on top and overall creating the strongest frame on the market. We then put a state of the art black powder coat finish on the frame for added durability.

| ltem # | Description |
|--------|-------------------------------|
| DBB10 | 10" Double Ball Bearing Frame |
| DBB18 | 18" Double Ball Bearing Frame |
| DBB24 | 24" Double Ball Bearing Frame |
| DBB36 | 36" Double Ball Bearing Frame |




Double Ball Bearing Extended Frame

Use this frame when you wish to have your windsock throat open and ready. The extension extends into the windsock approximately 28" which holds your windsock open.

| ltem # | Description |
|----------|--|
| DBB18EXT | 18" Double Ball Bearing Extended Frame |
| DBB24EXT | 24" Double Ball Bearing Extended Frame |
| DBB36EXT | 36" Double Ball Bearing Extended Frame |

Windsock Stand and Adapters



- WS-ADAPTER-S accepts ⁴/₄ diameter threaded windsock posts.
 WS-ADAPTER-L accepts 1" diameter threaded windsock posts.
- Fits over the top of T60NS mast and locks in place with a hitch pin.
- Welded all steel construction, zinc plated to resist corrosion.


Windsock Stand

- Lightweight stand displays standard windsocks at a height of 127" off the ground.
- Base is powder coated steel, legs and mast are aircraft quality aluminum.
- Self-locking legs are independently adjustable for uneven terrain and feature foot actuated releases.
- Mast telescopes for maximum height and accepts the adapters shown above.
- Hitch pin locks the adapters securely to the mast.

| Item # | Description |
|--------------|------------------------------|
| WS-ADAPTER-S | Adapter for 3/4" Post Frames |
| WS-ADAPTER-L | Adapter for 1" Post Frames |
| WS/T60 | Stand with Telescoping Mast |



Paddle Signs



Gear Bag

- Dimensions: 32" (W) x 15" (D) x 15" (H)
- Durable gear bag provides 3 large, ventilated compartments and 2 zipper pockets
- U-Shaped, heavy duty zipper for main compartment
- 900 denier polyester upper, reinforced double PVC coated nylon bottom
- ID pocket & reflective material for increased visibility
- Weight: 3.5 lbs, 6 pieces per case

| ltem # | Description |
|--------|--|
| GB32 | Green with black trim & silver stripes |

Paddle Signs

Made of durable, weatherproof hardboard, plastic or aluminum material. Paddle signs are OCTAGONAL, LIGHTWEIGHT and CORROSION RESISTANT. Note: 14" and 18" signs include 10" handle; 24" signs include 60" handle.

PLASTIC

| Description | STOP/SLOW | STOP/STOP |
|-------------------------------|-------------------------|-----------------|
| 18" Octagon | ST-SL18P | ST-ST18P |
| HARDBOARD | | |
| Description | STOP/SLOW | STOP/STOP |
| 18" Octagon | ST-SL18 | ST-ST18 |
| 24" Octagon | ST-SL24 | — |
| Reflective Hardboard - made o | f 3M™ Scotchlite™ Refle | ective Material |
| 18" Octagon | ST-SL18-RFL | ST-ST18-RFL |
| 24" Octagon | ST-SL24-RFL | — |
| 18" Hi Intensity Octagon | ST-SL18-HI | ST-ST18-HI |
| 24" Hi Intensity Octagon | ST-SL24-HI | |
| 18" Diamond Grade Octagon | ST-SL18-DG | ST-ST18-DG |
| 24" Diamond Grade Octagon | ST-SL24-DG | _ |

ALUMINUM - Gauge for Aluminum paddles is .040".

| ltem # | Description | |
|-------------------------------|---|----------------|
| 14" Octagon | ST-SL14A | ST-ST14A |
| 18" Octagon | ST-SL18A | ST-ST18A |
| 24" Octagon | ST-SL24A | — |
| Reflective Aluminum - made of | 3M [™] Scotchlite [™] Refle | ctive Material |
| 18" Engineer Grade Octagon | ST-SL18A-RFL | ST-ST18A-RFL |
| 24" Engineer Grade Octagon | ST-SL24A-RFL | — |
| | | |

Hi Intensity and Diamond Grade available for Aluminum.

10" handle included with 14" & 18" signs. 60" handle included with 24" signs.

Optional Paddle Sign Handles

| m # | Description |
|-----|-------------------------------|
| | 60" Wood, 1pc |
| | 72 " Wood, 1pc. |
| | 81" Plastic, 2pc. (21" + 60") |
| | |

Back Pack

- Dimensions: 13.5"
 (W) x 9.5" (D) x 18.5" (H)
- Features spacious, expandable mesh storage option
- Wet/Dry storage option & ID pocket
- Interior audio pocket with cord portal
- Side zip pocket, water bottle holder & ventilated shoe compartment
- 2" reflective silver stripes for visibility
- Weight: 1.8 lbs, 12 pieces per case

| ltem # | Description |
|--------|--|
| BP13 | Green with black trim & silver stripes |

Safety Apparel

Fluorescent Safbelts


Fluorescent materials offer maximum daytime visibility. SB & SBR are made with orange 2" vinyl coated nylon (& Silver 3M™ Scotchlite™ Reflective Material for SBR). SBRX is constructed with 2" wide 3M[™] Scotchlite[™] Reflective Material. Also designed as a "break-a-way" for additional safety.

| ltem # | Description |
|--------------|--|
| SB | Sam Browne SAFBELT |
| SB Jr. | Small size for school patrols |
| SBR | Orange SAFBELT with reflective silver stripe |
| SBRX-LY-BWAY | Lime Yellow All Reflective "Break-a-way" SAFBELT |
| SBRX-RO-BWAY | Red Orange All Reflective "Break-a-way" SAFBELT |
| SBRX-W-BWAY | White All Reflective "Break-a-way" SAFBELT |
| | |





ABRX-RO





ABRX-W

White



Fluorescent Reflective Armbands For fast identification of authorized personnel.

| ltem # | Description |
|---------|---|
| AB-3 | 3" wide, Fluorescent Orange with one elastic |
| ABR-3 | 3" wide, Fluorescent Orange with one elastic and |
| | 3M [™] Scotchlite [™] Reflective Material Silver Stripe |
| AB-4 | 4" wide, Fluorescent Orange with two elastics |
| ABR-4 | 4" wide, Fluorescent Orange with two elastics and |
| | 3M [™] Scotchlite [™] Reflective Material Silver Stripe |
| ABRX-LY | 2" wide, Lime Yellow All Reflective Armband w/ hook & loop closure |
| ABRX-RO | 2" wide, Red Orange All Reflective Armband w/ hook & loop closure |
| ABRX-W | 2" wide, White All Reflective Armband with hook & loop closure |



SBR




Emergency Fire Blanket

| ltem # | Description |
|--------|---|
| 8010 | 62" x 84" Wool Blanket only |
| 8015 | Pouch only with Reflective Strips |
| 8025 | Wool Blanket and Pouch with Reflective Strips |

Reflective strips made of 3M[™] Scotchlite[™] Reflective Material







Fluorescent/Reflective Waist Belt

Waist belt only. Made of 2" wide vinyl 3M[™] Scotchlite™ Reflective Material. 50" long with plastic slides and hook & loop closures for easy adjustment. Colors: White, Fluorescent Red Orange or Lime Yellow.



| Lime Yellow All Reflective Waist Belt |
|---------------------------------------|
| Red Orange All Reflective Waist Belt |
| White All Reflective Waist Belt |
| |
| |



Contractor's Special Poncho

Special Poncho with attached hood. 50" x 80". Minimum order 120. Individually packaged in plastic bag.

| ltem # | Description |
|--------|--------------------------|
| CSP | 50" X 80" Special Poncho |

Signs and Stands

MEN

STOCK LEGENDS

Be Prepared to Stop Detour Detour Ahead End Road Work Flagman Ahead Flagman Symbol Lane Closed Ahead Left Lane Closed Ahead Litter Crew Ahead Men Working Men Working Symbol Merge Left Symbol Merge Right Symbol **Mowers** Ahead One Lane Road Ahead **Right Lane Closed** Right Lane Closed 1/2 Mile Right Lane Closed 1000 ft Right Lane Closed 1500 ft Right Lane Closed 500 ft **Right Lane Closed Ahead Right Shoulder Closed Ahead** Road Closed Ahead Road Work Ahead Road Work 1000 ft Road Work 1500 ft Road Work 500 ft Shoulder Closed Ahead Shoulder Work Ahead Sidewalk Closed Survey Crew Ahead Tree Work Ahead Trucks Entering Highway Utility Work Ahead Utility Work 1000 ft Utility Work 1500 ft Utility Work 500 ft Work Area Ahead Work Crew Ahead

Reflective Roll-Up Signs all standard stock legends.

Made of 3M[™] Scotchlite[™] Reflective Material.

| ltem # | Description |
|-----------------|--|
| RRS-36 | 36" Reflective Sign |
| RRS-36OLAY | Hook & Loop or Snap Overlay for 36" Sign |
| RRS-48 | 48" Reflective Sign |
| RRS-480LAY | Hook & Loop or Snap Overlay for 48" Sign |
| Lovan nockots a | wailable |

Lexan pockets available. Also available in Diamond grade.



Guardian[™] Sign Stand for 30"-48" Roll-Ups

- NEW NON-TIP SPRINGS.
- Signs adjust 12"-18" above grade.
- Folded 9"W x 9"D x 26"H. Weight: 22 lbs.
- Legs adjust & telescope.
- Flag holders available on request.

| ltem # | Description |
|--|---|
| GR-30/48 | Stand Assembly only |
| FHRU | 3-Flag Holder - sold separately |
| Sign and flags no | |
| 1 | UTILITY WORK AHEAD |
| Twin Flex | |
| I WITT FIEX | |
| NCHRP-35 | |
| | d FHWA accepted. |
| | e aluminum mast holds rigid |
| | ip signs 18" off the ground. |
| Dual verti springs for | ical heavy duty steel coil or wind resistance. |
| | owder coated 42" steel legs. |
| Kick relea | ise system on legs allows for on leg height adjustment for |
| Storage d Weight: 4 | limensions: 9" x 8" x 59". 0 lbs. |

| lten | n # | | D | esci | rip | otic | on | | | | | | |
|------|------|---|---|------|-----|------|-------|---|---------|------|-----|-----|-----|
| GAP | -R&I | R | S | tand | W | ith | Rigid | & | Roll-Up | Sign | Bra | ick | ets |
| | | | - | | | | | | | | | | |

Includes FHRU 3-Flag Holder. Sign and flags not included.



Mesh Roll-Up Signs - all standard stock legends.

- Heavy 15 oz. Bright Orange Mesh
- Non stock legends available.

| RKS-36 36" x 36" Sign | |
|--|--------------|
| | |
| RKS-360LAY Hook & Loop or Snap Overlay | for 36" Sign |
| RKS-48 48" x 48" Sign | |
| RKS-480LAY Hook & Loop or Snap Overlay | for 48" Sign |

Lexan pockets available.

Roll-Up Sign Fiberglass Ribs

| ltem # | Description | |
|--------|------------------------------|--|
| RIB-36 | Fiberglass Ribs for 36" Sign | |
| RIB-48 | Fiberglass Ribs for 48" Sign | |

Signs and Stands

Guardian[™] Lite Stand for 30"- 36" Roll-Ups

- Adjustable telescoping legs without cumbersome pins.
- Compact & hand tightening handle • locks in any Roll-Up sign.
- No special ribs to buy.
- Stability achieved when sign ribs flex • and deflects wind.
- Folded 6"W x 9"D x 26"H. Weight: 15 lbs.

| ltem # | Description |
|---------------------------------------|---------------------|
| GL-30/36 | Stand Assembly only |
| Sign not included. | |
| Guardian [™] for Roll-Ups | 48-5' Stand |

- Displays 30" 48" Roll-Up signs 60" off the ground.
- Heavy duty construction all aluminum wall thickness .125.
- Dual spring keeps the stand stable in high winds.
- Folded 10¾ "W x 7½ "D x 81½ "H. • Weight: 37 lbs.

| ltem # | Description | |
|---------|---------------------|--|
| GRR-485 | Stand Assembly only | |
| c: 1.0 | | |

Sign and flags not included.





UTILITY

WORK AHEAD



Heavy Duty Tripod

- NCHRP 350 test level 2 compatibility with rigid or roll-up sign
- Comes with both rigid and roll-up sign brackets
- Rugged galvanized steel square tube construction
- Telescoping mast with triple flag holder
- Storage height: 56"
- Open footprint: 50" x 55"
- Weight: 18 lbs. •

| ltem # | Description |
|-----------|---------------------|
| RSS-TP-HD | Stand Assembly only |



Fold & Roll

- NCHRP-350 tested and FHWA accepted.
- Compact storage configuration and easy set up.
- From stored position to deployed position in just 20 seconds.
- Dual torsion spring system for stability and wind resistance.
- Telescoping aluminum legs with twoposition height adjustment.
- Available in fluorescent orange or pink. •
- Fluorescent pink color recommended • by FHWA and NFPA for use at emergency scenes. Made of 3M™ Scotchlite[™] Reflective Material.
- Storage dimension 36" system: 7.5" x 8" x 36". Weight 21 lbs.
- Storage dimension 48" system: 7.5" x 8" x 45". Weight 24 lbs.

Item # Description

DF3000X36 36" Orange Fold & Roll Sign System DF3003X48 48" Orange Fold & Roll Sign System DF3000X36PNK 36" Pink Fold & Roll Sign System DF3003X48PNK 48" Pink Fold & Roll Sign System



Pogo Sign Stand

For economical in-ground installation of 30", 36" and 48" roll-up sign panels. Just step on lower crossbar to drive stand base into the ground. All steel, zinc plated. Dimensions: 56" x 12" x 12¹/₂".

| ltem # | Description |
|--------|---------------------------------------|
| PGS | "Pogo" (In-ground) Sign Stand - 6lbs. |





High Visibility Safety Tapes

PRESSURE SENSITIVE REFLECTIVE AND FLUORESCENT TAPES

High Visibility Safety Tapes serve to enhance visibility thereby reducing hazards providing for a much safer working environment. They also provide for fast easy identification of emergency equipment, personnel, and dangerous or restricted areas. Can be used almost anywhere, indoors or out. Surfaces must be cleaned, smooth and dry.

Recommended Uses:


Reflective Tapes: For nighttime use when exposed to automobile headlights.

Fluorescent Tapes: Daytime use from dawn to dusk. Four times more visible than other colors including white.



Fluorescent Pressure Sensitive Tape

| ltem # | Color | Dimensions |
|----------|---------------|--------------|
| T-251-BY | Bright Yellow | 1" x 10 yds. |
| T-251-BO | Bright Orange | 1" x 10 yds. |
| T-252-BO | Bright Orange | 2" x 10 yds. |
| T-253-BO | Bright Orange | 3" x 10 yds. |



Reflective Material – Pressure Sensitive Tape (5-7 year durability rating)

| ltem # | Color | Dimensions |
|-------------|--|--------------|
| T-231 | Red, White, Construction Orange, Yellow, Green, Blue | 1" x 10 yds. |
| T-232-CO/50 | Construction Orange | 2" x 50 yds. |
| T-232 | Red, White, Construction Orange, Yellow, Green, Blue | 2" x 10 yds. |
| T-233 | Red, White, Construction Orange | 3" x 10 yds. |
| T-234 | Red, White, Construction Orange | 4" x 10 yds. |
| T-236 | White, Construction Orange | 6" x 10 yds. |

When ordering, please specify color: T-231-R.

(R) Red, (W) White, (CO) Construction Orange, (Y) Yellow, (G) Green, (B) Blue





Striped Reflective Pressure Sensitive Tape

| ltem # | Color | Dimensions |
|----------|--------------|--------------|
| T-282-RW | Red/White | 2" x 10 yds. |
| T-282-YB | Yellow/Black | 2" x 10 yds. |

3M[™] Scotchlite[™] Reflective Material (Sew On Tape - not pressure sensitive)

3M[™] Scotchlite[™] Reflective Material is available in a variety of sizes including ¾", 1", 1%" and 2". Most 3M[™] Scotchlite[™] Reflective Material comes in 100 meter rolls.

| ltem # | Color |
|--------|---------------------------------|
| 8912 | Silver – Fabric |
| 6187 | Fluorescent Lime Yellow – Vinyl |
| 6196 | Fluorescent Red/Orange – Vinyl |
| 6160 | White – Vinyl |

When ordering, please specify width: 8912-**2**. Transfer tape and marking films available.





High Visibility Safety Tapes



Surveyors' Plastic Flagging Tape

5001RW

Easily identifies trees, stakes, boundaries, dangerous areas, etc. 12 rolls per case.

| ltem # | Color | Dimensions |
|--------|--|--|
| 5000 | Solid Colors: Blue, Yellow, Orange, Red, White | 1³⁄₁6" x 300 ft. |
| 5001 | Stripes: Blue/White, Orange/White, Red/White, Yellow/White | 1 ³ / ₁₆ " x 300 ft. |
| 5002 | Glow Colors: Pink, Green, Orange, Red | 1¾₀" x 150 ft. |

When ordering, please specify color: 5000Y.

5000/5002: (B) Blue, (Y) Yellow, (O) Orange, (R) Red, (W) White, (P) Pink, (G) Green, 5001: (B/W) Blue/White, (O/W) Orange/White, (R/W) Red/White, (Y/W) Yellow/White



Color Coded Safety Tapes

1-202 Y/I

These high quality pressure sensitive tapes will adhere to any reasonably clean surface.

| ltem # | Color | Dimensions |
|-----------|----------------------------------|--------------|
| T-201 B/W | Black/White | 2" x 36 yds. |
| T-202 Y/B | Yellow/Black | 2" x 36 yds. |
| T-203 | Red, Yellow, White, Black, Green | 2" x 36 yds. |
| T-302 Y/B | Yellow/Black | 3" x 36 yds. |

When ordering, please specify color: T-203-R.

(R) Red, (Y) Yellow, (W) White, (B) Black, (G) Green, (B/W) Black/White, (Y/B) Yellow/Black

Reflective Pavement Marking Tape

Reflective Pavement Marking Tape is a temporary way for redirecting traffic around sites and permanently marking driveways and parking lots. Available in economical



construction grade and heavy duty wet strength.

| ltem # | Dimensions | Description |
|----------|--------------|--------------------|
| PMT-C-2 | 2" x 50 yds. | Construction Grade |
| PMT-HD-2 | 2" x 50 yds. | Heavy Duty |
| PMT-C-4 | 4" x 50 yds. | Construction Grade |
| PMT-HD-4 | 4" x 50 yds. | Heavy Duty |
| PMT-C-6 | 6" x 50 yds. | Construction Grade |
| PMT-HD-6 | 6" x 50 yds. | Heavy Duty |

Available in yellow and white. Please specify Yellow (Y) or White (W).





Caution Barricade Tape

3" x 1000' 3 MIL Polyethylene bright yellow "CAUTION" or red "DANGER" Barricade Tape printed along entire roll. Great for temporary construction areas and traffic control. 12 rolls per case. Additional legends available.

| ltem # | Description |
|----------------------|---------------------------------------|
| Yellow – 3 MIL | · · · · · · · · · · · · · · · · · · · |
| CBT3 | CAUTION CAUTION |
| CBT3F | FIRE LINE DO NOT CROSS |
| CBT3M | CAUTION MEN WORKING OVERHEAD |
| CBT3P | POLICE LINE DO NOT CROSS |
| CBT3T | CAUTION OPEN TRENCH |
| CBT3U | CAUTION UTILITY LINE BURIED BELOW |
| CBT3D | CAUTION DO NOT ENTER |
| CBT3N | CRIME SCENE DO NOT CROSS |
| CBT3CA | CAUTION CONSTRUCTION AREA |
| CBT3SH | SHERIFF'S LINE DO NOT CROSS |
| CBT3S | CAUTION CUIDADO |
| CBT3CDNE/ 200 | CAUTION DO NOT ENTER (3" x 200') |
| Red – 3 MIL | |
| DBT3 | DANGER DANGER |
| DBT3D | DANGER DO NOT ENTER |
| DBT3A | DANGER ASBESTOS HAZARD |



Repulpable Caution Barricade Tape

100% cotton caution tape for use in clean rooms and places where plastic and polypropylene is not allowed. It is available in yellow "CAUTION" or red "DANGER" in 2" x 50 yd. rolls.

| ltem # | De | escription |
|-----------|---|-------------------------------|
| CBT-REP | CA | UTION, Yellow Repulpable Tape |
| DBT-REP | DA | NGER, Red Repulpable Tape |
| High Vis | BT-1 BT-1 ibility Barricade Tapo sure sensitive) | SBT-2 SBT-18 |
| 1 | | |
| To protec | nt tape is ideal to use as t against hazards, to bar d areas, or warn of dang | ricade |
| ltem # | Color | Dimensions |
| π | | |
| SBT-1 | Fluorescent Red Orange | 1" x 50 yds. |
| | Fluorescent Red Orange Fluorescent Red Orange | 1" x 50 yds. 2" x 100 yds. |

High Visibility Safety Tapes

Premium Perimeter Pennant Tapes



Pennant Barricade Tapes

Made entirely of Fluorescent SAFLAG® vinyl laminated nylon material, this tough pennant tape can be used repeatedly as a barricade and to increase the visibility of hazardous areas. Tensile strength is 110 lbs. warp/110 lbs. fill. Pennants are 18" triangles spaced 18" apart. Leader tape at each end is 20 ft.

| ltem # | Description | |
|--------|--|--|
| 8515 | 15 Fluorescent Red Pennants 18" x 18" Length including leader tape is 83 ft. | |
| 8525 | 25 Fluorescent Red Pennants 18" x 18" Length including leader tape is 113 ft. | |

Heavy Duty (OSHA Compliant)

Pennants and leader tape are both made entirely of SAFLAG[®], vinyl laminated nylon material, while the leader tape is reinforced with heavy duty cord, 500+ lbs. tensile strength. OSHA compliant for construction jobs above ground level or for flat roof work.

| ltem # | Description | |
|---------|--|--|
| 8515/HD | 15 Fluorescent Red Pennants 18" x 18" Length including leader tape is 83 ft. | |
| 8525/HD | 25 Fluorescent Red Pennants 18" x 18" | |
| | Length including leader tape is 113 ft. | |
| 8535/HD | 35 Fluorescent Red Pennants 18" x 18" Length including leader tape is 113 ft. | |

Also available in Yellow. Add Y to item # - 8515Y/HD and 8525Y/HD.

Economical Perimeter Pennant Tapes



These 60 ft. long tapes contain 36 bright 9" x 11" polyethylene pennants.

| ltem # | Description | |
|---------|--------------|--|
| 8636R | Red | |
| 8636Y | Yellow | |
| 8636M | Multicolor | |
| 86360/W | Orange/White | |
| | | |

Tapes also available in 100 ft. rolls.

Heavy Duty (OSHA Compliant)

Pennants and leader tape are both made entirely of polyethylene material, while the leader tape is reinforced with heavy duty cord, 500+ lbs. tensile strength. OSHA compliant for construction jobs above ground level or for flat roof work.

| ltem # | Description |
|----------|---|
| 8642/HD | 42 Red Polyethylene Pennants 12" x 18" |
| 8642Y/HD | 42 Yellow Polyethylene Pennants 12" x 18" |
| | |

Length including leader tape is 105 ft.

WBT-75 Y/B and WBT-2 Y/B

WBT-2 R

Barricade Tapes - Webbing (Not pressure sensitive)

Made of non-conductive weatherproof woven polypropylene. Yellow/Black for general use and Yellow/Magenta for radiation hazards. Pull tensile strength is 100 lbs. for 3/4 " tape and 300 lbs. for 2" tape.

| ltem # | Color | Dimensions |
|------------|----------------|--------------|
| WBT-75 Y/B | Yellow/Black | ¾" x 150 ft. |
| WBT-2 Y/B | Yellow/Black | 2" x 150 ft. |
| WBT-2 Y/M | Yellow/Magenta | 2" x 150 ft. |
| WBT-2 R | Red | 2" x 150 ft. |

Conspicuity Reflective Tape

2" Wide red and white 3M[™] Scotchlite[™] Reflective Material for tractor trailers. Federal law requires trucks to now have this tape for better visibility. Each roll is 2" by 50 yards long and meets all Federal and State specifications.

| ltem # | Description |
|---------|--|
| CONSP-2 | 2" Red and White Reflective Conspicuity Tape |

Reflective Pressure Sensitive Strips

Now a fast, easy way to increase visibility in hazardous situations. Each sheet has (16) 1" x 4" peel off strips.

| ltem # | Color | Dimensions |
|---------|-------------------------|------------|
| 6801 W | White | 1" x 4" |
| 6802 LY | Fluorescent Lime/Yellow | 1" x 4" |
| 6803 RO | Fluorescent Red/Orange | 1" x 4" |
| 6805 B | Blue | 1" x 4" |



Tear-Off Warning Flags

Red Warning Flags on a perforated easy tear-off roll. Each

roll has 200 12" x 12" flags, 4 MIL thickness. Great for the back of trucks or on long poles hanging from trucks.



Item # TF-12







Hi-Impact Instant "A" Frames

Designed to accept 2" x 8' wood or plastic board and barricade light.


| ltem # | Description |
|--------|----------------------------------|
| PAF | Price quoted per one leg/not two |
| | |

Plastic Barricade Boards

Add these boards to PAF "A" frames. Boards are easily carried and assembled to cover any barricading requirement. Available in 4', 6' & 8' lengths.

| Size | Plain White Board | *Reflective Board One Side | *Reflective Board Two Sides |
|--------------|-------------------|-------------------------------|--------------------------------|
| 2" x 8" x 4' | PB-4 | PB-4R1 | PB-4R2 |
| 2" x 8" x 6' | PB-6 | PB-6R1 | PB-6R2 |
| 2" x 8" x 8' | PB-8 | PB-8R1 | PB-8R2 |

*Engineer grade orange & white sheeting made of 3M[™] Scotchlite[™] Reflective Material.



Econo Safety Fence

Lighter weight mesh, yet strong and ideal for most all temporary applications.

| ltem # | Description |
|----------|--------------------------|
| ESF-450 | 4' x 50' Roll - 11 lbs. |
| ESF-4100 | 4' x 100' Roll - 22 lbs. |







Wood & Steel Barricade

| Size | Description | |
|----------|----------------------------------|--|
| | Top Reflective Panel | Bottom Panel |
| 24" wide | . 8" | 6" |
| 36" wide | 8" | 6" |
| | Top Reflective Panel | Bottom Reflective Panel |
| 24" wide | . 8" | 8" |
| 36" wide | 8" | 8" |
| | 24" wide 36" wide 24" wide | Top Reflective Panel24" wide8"36" wide8"Top Reflective Panel24" wide8" |

Reflective panel made of 3M[™] Scotchlite[™] Reflective Material

Hi-Impact Plastic Barricade

Rugged structural design resists breaking. Type I barricade with 8" x 24" reflective top panel and light bracket. (16 lbs).

| ltem # | Description |
|--------|------------------------------|
| PB-R | Top panel striped |
| PB-R-2 | Top and bottom panel striped |
| | |

Reflective panel made of 3M[™] Scotchlite[™] Reflective Material



Delineator Post

Scotchlite^{**}

Reflective Material

Moveable 42" Delineator Post with two 3" reflective collars made of 3M[™] Scotchlite[™] Reflective Material. 12 pound base.

| ltem # | Description |
|--------|------------------------|
| DP-42C | 42" Post + 12 lb. Base |
| DP-42 | 42" Post |
| DB-12 | 12 lb. Base |

BARRICADE LIGHTS



ITE approved 6V or 12V with or without photo cell. High-impact plastic case with 7" diameter lexan lens and solid state transistor circuit.

| ltem # | Description |
|---------|------------------------|
| BL-6V | 6 Volt |
| BL-6VP | 6 Volt with Photocell |
| BL-12V | 12 Volt |
| BL-12VP | 12 Volt with Photocell |

Barricade Light Bulbs

| | - | |
|--------|--------------|--|
| ltem # | Description | |
| BLB-6 | 6 Volt Bulb | |
| BLB-12 | 12 Volt Bulb | |

6 Volt Lantern Battery

| ltem # | Description |
|--------|---------------------------------------|
| BAT-6V | Takes 2 Batteries for Barricade Light |



Airport Wands

Hand held, battery powered warning light wands for directing aircraft as well as vehicle traffic. Translucent white wand is 21" long and can be operated in 3 states: flashing red strobe, steady red or steady blue. Holds two C cell batteries and has a belt clip. Translucent red wand is 161/4" long and can be operated as a flashing red strobe or a steady red. Holds two D cell batteries. Both with attached lanyard.

| ltem # | Description |
|------------------|--|
| WAND-W | 21" Translucent White Plastic Wand |
| WAND-RO | 16 ¹ /4" Translucent Red Plastic Wand |
| Batteries not ir | icluded. |

STROBE LIGHTS Compare our quality!



Heavy Duty Strobe (Low Profile)

Ideal for forklifts, electric vehicles, contractors' trucks and equipment. Flash rate: 60 per minute. Low profile diameter: 3⁵/₈" dia. x 4"H. Lights are shipped 12V with amber lens.

Features:

- Made in the USA, 2 yr. warranty on power supply.
- Xenon plug-in flash tube.
- Heavy duty strobe light reduces returns and service.
- All major components are field serviceable.
- Anodized aluminum housing (Heavy) duty strobe has lexan housing).
- Solid State circuitry double epoxy dipped.
- Reverse polarity, flash tube failure & over voltage protection.
- Hardware & mounting instructions provided.
- S.A.E. & A.A.M.V.A. approved (reduces liability).

Item # Description HDS-FM Flat mount Pipe mount (Base threaded for $\frac{1}{2}$ " pipe) HDS-PM HDS-MM Magnetic mount w/Cigar plug



- 17.5" long, pulsating high intensity red LED baton
- 5 high intensity white LED lights
- Operates in fast red flash, steady red & white flashlight modes
- Magnetic bottom, belt clip & strap
- Uses (2) C batteries (not included)
- 24 pieces per case

| ltem # | Description |
|-------------|-------------|
| WAND-RO-LED | LED Wand |



Whistle

- Faultless, reliable safety whistle
- Includes Lanyard
- High visibility lime and orange colors available


| ltem # | Description |
|--------|------------------|
| WH-O | Whistle - Orange |
| WH-GN | Whistle - Green |

SANDBAGS The Industry's Highest Quality at the Lowest Prices!



Heavy duty "seamless circular woven" polypropylene sandbags for extended use with industrial twine ties. U.V. Stabilized.

| ltem # | Description |
|--------|--------------------------|
| SB-14W | 14" x 26" White |
| SB-18W | 18" x 27" White |
| SB-140 | 14" x 26" ORANGE HI U.V. |
| | |



Slow Moving Vehicle Emblem

For vehicles designed to travel 25 mph or less. The Fluorescent Yellow-Orange triangle is for daytime visibility and the dark red reflective border reflects headlights at night.

Item # Description

| 7330 | Metal Emblem – Has two prepunched holes for direct mounting |
|------|---|
| 7332 | Decal – One-piece for direct application |
| | |

Highway Safety Warning Triangles

Kit of three triangles in high-density plastic case.

• Meets or exceeds all applicable DOT standard FMVSS 125 and all state and legal requirements.

- Set-up requires no tools.
- Precision reflex tooling provides reflectors with high candle power beam for night use.
- Fluorescent inner triangle warns daytime traffic.
- Self-contained unit needs no power source.
- No-skid rubber feet keep the triangle in place in high wind.
- Placement instructions permanently printed on case and
- triangle. • Size: 18.75" long x 5" wide x 4.75" high.

| Item # | Description |
|--------|----------------------------------|
| HWK | 3 Warning Triangle Kit - 14 lbs. |

Corrugated Plastic Floor Stands


"A" shaped Bright Safety Yellow stand identifies potential hazards both inside and out. Side 1: CAUTION WET FLOOR Side 2: CAUTION SLIPPERY WHEN WET



| ltem # | Description |
|--------|----------------------------------|
| WFS | 12" x 20" Stand with two legends |







All Purpose Guardrail and Barrier Mount Delineator

Unique design allows delineator to attach to barrier mount or guardrail as side or top mount. Available with plastic backing. Available with one or two sides reflective. Colors: White or Yellow.

| ltem # | Description |
|-----------|---------------------------------------|
| GBM-P-1-W | One side reflective plastic - White |
| GBM-P-2-W | Two sides reflective plastic - White |
| GBM-P-1-Y | One side reflective plastic - Yellow |
| GBM-P-2-Y | Two sides reflective plastic - Yellow |

Aluminum housing and color change available upon request.

Highway Reflector

3" Diameter with center-mount hole. Available with plastic or aluminum backing. Colors in white or yellow.

| ltem # | Description |
|--------|------------------------|
| HR-PY | Plastic backed yellow |
| HR-PW | Plastic backed white |
| HR-AY | Aluminum backed yellow |
| HR-AW | Aluminum backed white |

Temporary Pavement Markers

ABS housing with welded acrylic lens for maximum visibility. Available with one or two reflective sides.

| ltem # | Description |
|--------|------------------------------|
| PM-1 | One side reflective (white) |
| PM-2 | Two side reflective (yellow) |

Reflective colors can be changed upon request.



Parking Meter Hoods

"NO PARKING" printed on both sides with grommets for padlock. 3M[™] Scotchlite[™] Reflective Material available.

| ltem # | Description |
|--------|-----------------------------|
| SPOM | Single Hood - 12"W x 20"H |
| SPOMD | Double Hood - 21 "W x 25" H |



Cone Bars

Color Options: Red/White/ Green/White Yellow/Black Blue/White Orange/White

Description

Cone Adapter

Constructed of ABS (Acrylonitrile Butadiene Styrene) Plastic. Engineer Grade Reflective Sheeting Standard.

6ft. model extends from 53.50" to 87.50" in length. 10ft. model extends from 72.50" to 127" in length.

| ltem # | Description | ltem # | Description |
|--------|-----------------|---------|------------------|
| CB6-YB | 6' Yellow/Black | CB10-YB | 10' Yellow/Black |
| CB6-RW | 6' Red/White | CB10-RW | 10' Red/White |
| CB6-GW | 6' Green/White | CB10-GW | 10' Green/White |
| CB6-BW | 6' Blue/White | CB10-BW | 10' Blue/White |
| CB6-OW | 6' Orange/White | CB10-OW | 10' Orange/White |



Fluorescent Cones offer outstanding visibility. 100% PVC durable cones available with orange or black bases. Available with or without reflective collars. Minimum 20 cones.

| ltem # | Weight | Description |
|-----------|-----------|--|
| CSP12 | 1.7 lbs. | 12" high, 8" sq. base - Orange |
| CSP18 | 3.2 lbs. | 18" high, 11" sq. base - Orange |
| CSP18-RFL | 3.2 lbs. | 18" high, 11" sq. base - Orange w/Reflective |
| CSP18-GN | 3.2 lbs. | 18" high, 11" sq. base - Green |
| CSP28 | 7.0 lbs. | 28" high, 15" sq. base - Orange |
| CSP28-RFL | 7.0 lbs. | 28" high, 15" sq. base - Orange w/Reflective |
| CSP36 | 10.0 lbs. | 36" high, 151/2" sq. base - Orange |

Orange Cone with Black Base

| ltem # | Weight | Description |
|-----------|-----------|---|
| CSB18 | 3.2 lbs. | 18" high, 11" sq. base - Orange |
| CSB18-RFL | 3.2 lbs. | 18" high, 11" sq. base - Orange w/Reflective |
| CSB28 | 7.0 lbs. | 28" high, 15" sq. base - Orange |
| CSB28-RFL | 7.0 lbs. | 28" high, 15" sq. base - Orange w/Reflective |
| CSB36 | 10.0 lbs. | 36" high, 15½" sq. base - Orange |
| CSB36RFL | 10.0 lbs. | 36" high, 151/2" sq. base - Orange w/Reflective |

CRS6

Reflective collars made of 3M[™] Scotchlite[™] Reflective Material

Reflective Cone Collars

New reflective high tack adhesive backed cone collars made from tough, durable, CRS4 and flexible 3M[™] Scotchlite[™] Reflective Material. Three times brighter than previous cone collars and comply with the new FHA requirements.

| ltem # | Description |
|--------|--------------------------|
| CRS6 | 6" for 18" and 28" cones |
| CRS4 | 4" for 28" cones |

In the event merchandise is defective or non-conforming in any way, we shall be responsible for the repayment to the Buyer of the purchase price paid upon return to us of the defective or non-conforming goods. However, we shall not be liable or responsible for any other damages whether direct, incidental or consequential. We shall not be responsible for any breach of warranty except as herein set forth and, in particular, there are no implied warranties of merchantability or fitness for any particular purpose. Prices subject to change without notice. We reserve the right to invoice at prices in effect at time of shipment.

